



Shenzhen MCD Electronics CO.,Ltd

Under vehicle inspector mirror with 5 inch screen

MCD-V6D



美创达诚

Shenzhen MCD Electronics co.,ltd





Waterproof Camera
Rod Max length: 3.1m
HD 5-inch LCD screen

MCD-V6D
Under Vehicle Search Mirror



Quantity comes from **MCD** , Honesty shows all the world



Shenzhen MCD Electronics CO.,Ltd

Product Parameters:

Waterproof Camera

- 1.Dimension: 23mmx50mm.
- 2.Flexible pipe: 500mm
- 3.Camera casing: Stainless steel 304
- 4.Camera lens: Sapphire blue
- 5.Sensor dimension:1/4 inch
- 6.Senor pixel:PAL@720X576/NTSC: 720X480
- 7.Lens visible angle: 120 degrees
- 8.Camera adjustable angle: Arbitrary angle
- 9.Camera light source: 12 LEDs
- 10.Waterproof standard: IP68
- 11.Working voltage: DC 12V, working current: 100mA
- 12.Rod Max length: 3.1m
- 13.Working temperature:-10°C-50°C

2.4G/5.8G Wireless Mini DVR (HD 5-inch LCD screen)



Quantity comes from **MCD** , Honesty shows all the world



Shenzhen MCD Electronics CO.,Ltd

Basic Information:

- Wireless Receiving : Built-in 2.4G/5.8G wireless receiving module
- Channel Switch Supports manual & automatic switch between 8 channels
- Antenna: Folding hidden external antenna assures excellent wireless receiving.
- Recording: Supports seamless cycle and continuous video from wired/wireless cameras
- Photo :Supports function of taking pictures either from wired or wireless cameras.
- AV IN: TV-IN [NTSC / PAL]
- AV OUT: [NTSC / PAL].
- Battery: Built-in 3200mAh high capacity Li-battery, which continuous record over 10 hours
- Speaker: Built-in speaker of 1W
- Storage: Supports up to 32GB TF card
- Language: Supports multi-language
- Supports Power-saving Mode: automatic shutdown, automatic off-screen
- Automatic upgrade: Supports system automatic upgrade



Quantity comes from **MCD** , Honesty shows all the world



Shenzhen MCD Electronics CO.,Ltd

Specification:

Items		Value
Wireless Receiving	Wireless freq. (1of 6 groups)	2.4GHz - 8 channels CH1: 2414MHz; CH2: 2432MHz; CH3: 2450MHz; CH4: 2468MHz. CH5: 2490MHz; CH6: 2510MHz; CH7: 2390MHz; CH8: 2370MHz
		Within 5.8G-A 8 channels CH1: 5865MHz; CH2: 5845MHz; CH3: 5825MHz; CH4: 5805MHz. CH5: 5785MHz; CH6: 5765MHz; CH7: 5745MHz; CH8: 5725MHz
		Beyond 5.8G-B 8 channels CH1: 5705MHz; CH2: 5685MHz; CH3: 5665MHz; CH4: 5645MHz. CH5: 5885MHz; CH6: 5905MHz; CH7: 5925MHz; CH8: 5945MHz
		Within 5.8G-C 8 channels CH1: 5733MHz; CH2: 5752MHz; CH3: 5771MHz; CH4: 5790MHz. CH5: 5809MHz; CH6: 5828MHz; CH7: 5847MHz; CH8: 5866MHz
		Within 5.8G-D 7channels for FPV CH1: 5740MHz; CH2: 5760MHz; CH3: 5780MHz; CH4: 5800MHz. CH5: 5820MHz; CH6: 5840MHz; CH7: 5860MHz; CH8: SPI
		Beyond 5.8G-E 7 channels for FPV CH1: 5705MHz; CH2: 5685MHz; CH3: 5665MHz; CH4: 5645MHz. CH5: 5885MHz; CH6: 5905MHz; CH7: 5925MHz; CH8: SPI
	Sensitivity	-92dB
AV IN	TV system	NTSC / PAL
	Output voltage	3.6-4.2 V
AV OUT	TV system	NTSC / PAL
HD 5-inch LCD screen	Active area	108mm(W) X 64.8mm(H)
	Resolution	800 X 480 Pixel
	Luminance for LCM	200 cd/m ²
Video	Resolution	720*576 / 720*480
	Video compress	MPEG-AVI 30fps
	Play format	MPEG-AVI

Quantity comes from **MCD** , Honesty shows all the world



Shenzhen MCD Electronics CO.,Ltd

Items		Value
Audio	Subcarrier frequency	2.4GHz:6.0MHz; 5.8G-A/B/C:6.5MHz; 5.8G-D/E:6.0/6.5MHz
	Earphone Frequency Range	20HZ-20KHz stereo
	Earphone Output	Left: 20MW+ right 20mW [16O](suit to largest volume)
	Speaker	1W
Photo	Format	JPG/JPEG
Storage	External SD card	TF card 1GB-32GB (optional)
	32GB recording time	10-32 hours
	1GB photos	15625pcs
Operating system	PC	Windows & Mac OS
	Port	USB 2.0
	Language	Multiple
Power	Voltage	DC 5V
	Current(receiving mode)	660MA
	Current(recording mode)	680MA
	Current (recording with off-screen mode)	340MA
	AC adapter	DC 5V 2A
	Built-in battery	Li-battery 3200Mah
Standby time	Wireless record	≥9.5 hours(off-screen); ≥5hours (on-screen)
	Wired record	≥12 hours(off-screen); ≥6hours (on-screen) *LED camera not included.
Size (L x W x H)		131mm x 86mm x 18mm
Weight(g)		205g

Feature and Application:

High definition flexible hose camera, suitable for different angles and special occasions, equipped with 5.0 inch LCD screen display multimedia storage image playback, showed more clear, with infrared light supplement can be used for the dark place or use at night, portable-type pipe, A single-hand operation to check the height. Applied to check the car \ table \ under stools or container and others special occasions if they are normal, security \ anti-terrorism \ after the earthquake search tool life.

Quantity comes from MCD , Honesty shows all the world